

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15	717/???ccls. and (ide or (develop\$4 near3 environment) or console or edit\$3 ) and ("cut and paste" or "cut-and-paste" or "cut-n-paste" or (cut\$4 near3 past\$3 ) or (copy\$3 near3 past\$3 ) or "copy-and-paste" or "copy-n-paste" or "cut/copy/paste" or "cut-copy-paste" or "cut'n paste" ) and (inlin\$3 or expansion) and (branch\$3 or jump\$3 or redirection or address\$4 or relocat\$4 ) and ("size of" or threshold or "number of" or count or measure\$4 or "greater" or larger or exceed\$3 or "less than" or smaller ) same (condition\$4 or boolean or predicat\$3 or guard\$3 or (if near8 then) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 11:39
L4	77	inlin\$3 same ("size of" or threshold or "number of" or count or measure\$4 or "greater" or larger or exceed\$3 or "less than" or smaller ) same (condition\$4 or boolean or predicat\$3 or guard\$3 or (if near8 then) ) near5 inlin\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 11:42
L5	3	inlin\$3 same ("size of" or threshold or "number of" or count or measure\$4 or "greater" or larger or exceed\$3 or "less than" or smaller ) same (condition\$4 or boolean or predicat\$3 or guard\$3 or (if near8 then) ) near5 (expansion or restructur\$3 or expand\$3 or ( generat\$3 or creat\$3 ) near3 (method or procedure or function or routine) ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 11:51
L7	92	(code near3 edit\$3 ) and (code or block) near3 ("size of" or threshold or "number of" or count or measure\$4 or "greater" or larger or exceed\$3 or "less than" or smaller ) same (condition\$4 or boolean or predicat\$3 or guard\$3 or (if near8 then) ) and ( arrang\$4 or expansion or restructur\$3 or expand\$3 or ( generat\$3 or creat\$3 ) near5 (method or procedure or function or routine) ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 11:55

## EAST Search History

L8	92	I7 not I4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 11:56
L9	170	(code near3 edit\$3 ) and (code or block or section or segment or sequence ) near5 ("size of" or threshold or "number of" or count or measure\$4 or "greater" or larger or exceed\$3 or "less than" or smaller ) same (condition\$4 or boolean or predicat\$3 or guard\$3 or (if near8 then) ) and ( inlin\$3 or rearrang\$4 or arrang\$4 or expansion or restructur\$3 or expand\$3 or ( generat\$3 or creat\$3 ) near5 ( macro or method or procedure or function or routine) ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 12:03
L10	78	I9 not I7 not I4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 12:13
L11	77	(code near3 edit\$3 ) and (code or block or section or segment or sequence or fragment ) and ("size of" or threshold or "number of" or count or measure\$4 or "greater" or larger or exceed\$3 or "less than" or smaller ) near5 (test\$3 or evaluat\$3 or condition\$4 or boolean or predicat\$3 or guard\$3 or (if near8 then) ) and ( inlin\$3 or rearrang\$4 or arrang\$4 or expansion or restructur\$3 or expand\$3 ) and ( (generat\$3 or creat\$3 ) near5 ( macro or method or procedure or function or routine) ) and 717/???. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 12:36

## EAST Search History

L12	359	(code or block or section or segment or sequence or fragment ) and ("size of" or threshold or "number of" or count or measure\$4 or "greater" or larger or exceed\$3 or "less than" or smaller ) near5 (test\$3 or evaluat\$3 or condition\$4 or boolean or predicat\$3 or guard\$3 or (if near8 then) ) and ( inlin\$3 or rearrang\$4 or arrang\$4 or expansion or restructur\$3 or expand\$3 ) and ( (generat\$3 or creat\$3 ) near5 ( macro or method or procedure or function or routine) ) and 717/???.ccls. and (edit\$3 or "cut and paste" or "cut-and-paste" or "cut-n-paste" or (cut\$4 near3 past\$3 ) or (copy\$3 near3 past\$3 ) or "copy-and-paste" or "copy-n-paste" or "cut/copy/paste" or "cut-copy-paste" or "cut'n paste" )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 12:38
L13	359	l11 or l12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 12:41
L14	341	l13 not l9 not l7 not l4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 12:41
L15	24	("5740443").URPN.	USPAT	OR	OFF	2008/02/07 14:16
L16	1	"6149318".pn.	USPAT	OR	OFF	2008/02/07 15:10
L17	1	"7266813".pn.	USPAT	OR	OFF	2008/02/07 15:17
L18	3	"20020032804"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 15:33
S1	263	717/159.ccls.	USPAT	OR	OFF	2007/08/27 07:22
S2	552	719/310.ccls.	USPAT	OR	OFF	2007/08/27 07:22

## EAST Search History

S3	25	717/159.ccls. and (edit\$3 or (cut near3 paste) or (copy near3 paste) or cut\$4 or copy\$3 or slic\$3 or eliminat\$3 or remov\$3 ) same (within or between or file or package or class ) and (block or portion or code or software or binar\$3 or executable ) and (console or ui or gui or "user interface" ) and (call\$3 or invoke or invocation or instantiat\$3 or referenc\$3 or jump\$3 or branch\$3 or trampolin\$3 or overwrit\$3 or writ\$3 ) and (optimiz\$5 or optimis\$5 or optimal\$2 or streamlin\$3 or repackag\$3 or restructur\$3 or rearrang\$4 or recod\$3 )	USPAT	OR	ON	2007/08/27 07:31
S6	27	717/159.ccls. and (edit\$3 or (cut near3 paste) or (copy near3 paste) or cut\$4 or copy\$3 or slic\$3 or eliminat\$3 or remov\$3 ) same (within or between or file or package or class ) and (block or portion or code or software or binar\$3 or executable ) and (console or ui or gui or "user interface" ) and (call\$3 or invoke or invocation or instantiat\$3 or referenc\$3 or jump\$3 or branch\$3 or trampolin\$3 or overwrit\$3 or writ\$3 ) and (optimiz\$5 or optimis\$5 or optimal\$2 or streamlin\$3 or repackag\$3 or restructur\$3 or rearrang\$4 or recod\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 07:33
S7	105	719/310.ccls. and (edit\$3 or (cut near3 paste) or (copy near3 paste) or cut\$4 or copy\$3 or slic\$3 or eliminat\$3 or remov\$3 ) same (within or between or file or package or class ) and (block or portion or code or software or binar\$3 or executable ) and (console or ui or gui or "user interface" ) and (call\$3 or invoke or invocation or instantiat\$3 or referenc\$3 or jump\$3 or branch\$3 or trampolin\$3 or overwrit\$3 or writ\$3 ) and (optimiz\$5 or optimis\$5 or optimal\$2 or streamlin\$3 or repackag\$3 or restructur\$3 or rearrang\$4 or recod\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 07:33

## EAST Search History

S8	15	717/159.ccls. and (edit\$3 or (cut near\$3 paste) or (copy near\$3 paste) or cut\$4 or copy\$3 or slic\$3 or eliminat\$3 or remov\$3 ) same (within or between or file or package or class ) and (block or portion or code or software or binar\$3 or executable ) and (console or ui or gui or "user interface" ) and (call\$3 or invoke or invocation or instantiat\$3 or referenc\$3 or jump\$3 or branch\$3 or trampolin\$3 or overwrit\$3 or writ\$3 ) and (optimiz\$5 or optimis\$5 or optimal\$2 or streamlin\$3 or repackag\$3 or restructur\$3 or rearrang\$4 or recod\$3 ) and (library or libraries or dll )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 07:33
S9	59	719/310.ccls. and (edit\$3 or (cut near\$3 paste) or (copy near\$3 paste) or cut\$4 or copy\$3 or slic\$3 or eliminat\$3 or remov\$3 ) same (within or between or file or package or class ) and (block or portion or code or software or binar\$3 or executable ) and (console or ui or gui or "user interface" ) and (call\$3 or invoke or invocation or instantiat\$3 or referenc\$3 or jump\$3 or branch\$3 or trampolin\$3 or overwrit\$3 or writ\$3 ) and (optimiz\$5 or optimis\$5 or optimal\$2 or streamlin\$3 or repackag\$3 or restructur\$3 or rearrang\$4 or recod\$3 ) and (library or libraries or dll )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 07:34
S10	74	S8 S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:36
S11	2	"6179491".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:37

## EAST Search History

S12	1399	(software or code ) same (cut\$4 near3 ( insert\$4 or paste or pasting) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:25
S13	1858	(software or code ) same (copy\$3 near3 ( insert\$4 or paste or pasting) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:38
S14	367	S12 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:39
S15	28	S12 and S13 and (block near3 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:39
S16	154	S12 and S13 and ("size of" or "more than" or "greater than" or "number of" or footprint or threshold or maximum or max)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:40
S17	18	S15 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:57
S18	2	"7110936".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:57

## EAST Search History

S19	9	(software or code ) same (cut\$4 near3 ( insert\$4 or paste or pasting) ) and (helper near3 class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:40
S20	3	"20020032804"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:41
S21	2	"20020032804" and (class or default)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:43
S22	0	"20020032804" and (class or default) and private	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:42
S23	0	"20020032804" and (class or default) and public	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:42
S24	1208	creat\$3 same ( private same class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:44
S25	11	creat\$3 same ( private same class) and (software or code ) same (cut\$4 near3 ( insert\$4 or paste or pasting) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:49

## EAST Search History

S26	1	creat\$3 same ( access near5 modifiers) and (class or object) and (software or code ) same (cut\$4 near3 ( insert\$4 or paste or pasting) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:50
S27	1612	(ide or (develop\$4 near3 environment) or console or edit\$3 ) and ("cut and paste" or "cut-and-paste" or "cut-n-paste" or (cut\$4 near3 past\$3 ) or (copy\$3 near3 past\$3 ) or "copy-and-paste" or "copy-n-paste" or "cut/copy/paste" or "cut-copy-paste" or "cut'n paste" ) and (inlin\$3 or expansion) and (branch\$3 or jump\$3 or redirection or address\$4 or relocat\$4 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 09:18
S28	1507	(ide or (develop\$4 near3 environment) or console or edit\$3 ) and ("cut and paste" or "cut-and-paste" or "cut-n-paste" or (cut\$4 near3 past\$3 ) or (copy\$3 near3 past\$3 ) or "copy-and-paste" or "copy-n-paste" or "cut/copy/paste" or "cut-copy-paste" or "cut'n paste" ) and (inlin\$3 or expansion) and (branch\$3 or jump\$3 or redirection or address\$4 or relocat\$4 ) and ("size of" or threshold or "number of" or count or measure\$4 or "greater" or larger or exceed\$3 or "less than" or smaller )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 09:22
S29	67	717/???ccls. and (ide or (develop\$4 near3 environment) or console or edit\$3 ) and ("cut and paste" or "cut-and-paste" or "cut-n-paste" or (cut\$4 near3 past\$3 ) or (copy\$3 near3 past\$3 ) or "copy-and-paste" or "copy-n-paste" or "cut/copy/paste" or "cut-copy-paste" or "cut'n paste" ) and (inlin\$3 or expansion) and (branch\$3 or jump\$3 or redirection or address\$4 or relocat\$4 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 09:22



## EAST Search History

S30	58	717/???.ccis. and (ide or (develop\$4 near3 environment) or console or edit\$3 ) and ("cut and paste" or "cut-and-paste" or "cut-n-paste" or (cut\$4 near3 past\$3 ) or (copy\$3 near3 past\$3 ) or "copy-and-paste" or "copy-n-paste" or "cut/copy/paste" or "cut-copy-paste" or "cut'n paste" ) and (inlin\$3 or expansion) and (branch\$3 or jump\$3 or redirection or address\$4 or relocat\$4 ) and ("size of" or threshold or "number of" or count or measure\$4 or "greater" or larger or exceed\$3 or "less than" or smaller )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 09:23
-----	----	---	--	----	-----	------------------